

Summary of 2004 HIV Clients

Harris County Hospital District
All Clients Receiving HIV Outpatient Care
01/01/2004 through 12/31/2004

Table 1: 2004 HIV Clients by Race/Ethnicity, Sex¹, and Age

Sex		White Non-Hispanic		Black Non-Hispanic		Hispanic		Asian		Total	
Males	Age (Years)	N	(%)	N	(%)	N	(%)	N	(%)	N	(%)
	13-19	0	(0)	3	(0)	2	(0)	0	(0)	5	(0)
	20-24	2	(0)	29	(2)	16	(2)	1	(3)	48	(2)
	25-44	292	(51)	784	(55)	433	(66)	21	(70)	1530	(57)
	45+	277	(49)	602	(43)	207	(32)	8	(27)	1094	(41)
	Subtotal	571	(100)	1418	(100)	658	(100)	30	(100)	2677	(100)
	Row %		(21)		(53)		(25)		(1)		(100)
Females	Age (Years)	N	(%)	N	(%)	N	(%)	N	(%)	N	(%)
	13-19	2	(2)	6	(1)	1	(1)	0	(0)	9	(1)
	20-24	7	(5)	38	(4)	12	(6)	1	(25)	58	(5)
	25-44	74	(56)	487	(57)	143	(67)	2	(50)	706	(58)
	45+	50	(38)	327	(38)	58	(27)	1	(25)	436	(36)
	Subtotal	133	(100)	858	(100)	214	(100)	4	(100)	1209	(100)
	Row %		(11)		(71)		(18)		(0)		(100)
All Sexes	Age (Years)	N	(%)	N	(%)	N	(%)	N	(%)	N	(%)
	13-19	2	(0)	9	(0)	3	(0)	0	(0)	14	(0)
	20-24	9	(1)	67	(3)	28	(3)	2	(6)	106	(3)
	25-44	366	(52)	1271	(56)	576	(66)	23	(68)	2236	(58)
	45+	327	(46)	929	(41)	265	(30)	9	(27)	1530	(39)
	Total	704	(100)	2276	(100)	872	(100)	34	(100)	3886	(100)
	Row %		(18)		(59)		(22)		(1)		(100)

¹There are 20 known individuals who self-identify as transgender included in these statistics.

Figure 2: 2004 HIV Clients by Age Group (N = 3886)




Figure 3: 2004 HIV Clients by Race/Ethnicity (N = 3886)




Table 2: 2004 HIV Clients by Race/Ethnicity, Sex¹, and Risk Factor

Sex		White Non-Hispanic		Black Non-Hispanic		Hispanic		Asian		Total	
		N	(%)	N	(%)	N	(%)	N	(%)	N	(%)
Males	Risk Factor										
	Male to Male Sex (MSM)	365	(64)	446	(32)	339	(52)	9	(30)	1159	(43)
	Injection Drug Use (IDU)	47	(8)	110	(8)	25	(4)	2	(7)	184	(7)
	MSM & IDU	42	(7)	37	(3)	10	(2)	1	(3)	90	(3)
	Hemophilia	0	(0)	1	(0)	3	(1)	0	(0)	4	(0)
	Sex with Opposite Sex	55	(10)	613	(43)	217	(33)	11	(37)	896	(34)
	Blood Transfusion	2	(0)	7	(1)	4	(1)	0	(0)	13	(1)
	Other/Undetermined	60	(11)	204	(14)	60	(9)	7	(23)	331	(12)
Subtotal	571	(100)	1418	(100)	658	(100)	30	(100)	2677	(100)	
Row %		(21)		(53)		(25)		(1)		(100)	
Females	Risk Factor										
	Injection Drug Use (IDU)	36	(27)	80	(9)	10	(5)	0	(0)	126	(10)
	Hemophilia	0	(0)	0	(0)	1	(1)	0	(0)	1	(0)
	Sex with Opposite Sex	74	(56)	613	(71)	168	(79)	2	(50)	857	(71)
	Blood Transfusion	1	(1)	8	(1)	2	(1)	0	(0)	11	(1)
	Other/Undetermined	22	(17)	157	(18)	33	(15)	2	(50)	214	(18)
	Subtotal	133	(100)	858	(100)	214	(100)	4	(100)	1209	(100)
Row %		(11)		(71)		(18)		(0)		(100)	
All Sexes	Risk Factor										
	Male to Male Sex (MSM)	365	(52)	446	(20)	339	(39)	9	(27)	1159	(30)
	Injection Drug Use (IDU)	83	(12)	190	(8)	35	(4)	2	(6)	310	(8)
	MSM & IDU	42	(6)	37	(2)	10	(1)	1	(3)	90	(2)
	Hemophilia	0	(0)	1	(0)	4	(1)	0	(0)	5	(0)
	Sex with Opposite Sex	129	(18)	1226	(54)	385	(44)	13	(38)	1753	(45)
	Blood Transfusion	3	(0)	15	(1)	6	(1)	0	(0)	24	(1)
	Other/Undetermined	82	(12)	361	(16)	93	(11)	9	(27)	545	(14)
Total	704	(100)	2276	(100)	872	(100)	34	(100)	3886	(100)	
Row %		(18)		(59)		(22)		(1)		(100)	

¹There are 20 known individuals who self-identify as transgender included in these statistics.

Figure 3: 2004 HIV Clients by Risk Factor (N = 3886)




Table 3: 2004 HIV Clients by Zip Code

Zip Code	N	(%)
1) 77026	180	(5)
2) 77004	129	(3)
3) 77006	116	(3)
4) 77016	114	(3)
5) 77002	108	(3)
6) 77020	107	(3)
7) 77036	103	(3)
8) 77021	98	(3)
9) 77091	97	(3)
10) 77033	95	(2)
11) 77078	88	(2)
12) 77028	87	(2)
13) 77088	81	(2)
13) 77022	81	(2)
15) 77009	76	(2)
All Others	2326	(60)
Total	3886	(100)

Note: Zip codes are listed in order from highest prevalence to lowest prevalence. Only the top 15 highest prevalence zip codes are listed individually.

Table 4: 2004 HIV Clients by Year of Initial HIV Diagnosis (N = 3886)

Year of HIV Diagnosis	N	(%)
2004	193	(5)
2003	282	(7)
2002	243	(6)
2001	201	(5)
2000	213	(6)
1999	196	(5)
1998	209	(5)
1997	305	(8)
1996	271	(7)
1995	229	(6)
1994	196	(5)
1993	170	(4)
1992	136	(4)
1991	118	(3)
1990	95	(2)
1989	95	(2)
1988	54	(1)
1987	63	(2)
1986	37	(1)
1985 and earlier	72	(2)
Unknown	508	(13)
Total	3886	(100)

Figure 4: 2004 HIV Clients by Known Place of HIV Diagnosis (n = 2895)





Figure 5: Deaths among HIV Clients Compared to New HIV Clients (03/2003 to 12/2004)
Total New Clients = 1,376; Total Deaths = 174



Month and Year

NOTE: Death data within the last year is considered incomplete due to reporting lag.