

Summary of 2006 HIV Clients

Harris County Hospital District – All Outpatient Pavilions
All Clients Receiving HIV Outpatient Care
01/01/2006 through 12/31/2006

Table 1: 2006 HIV Clients by Race/Ethnicity, Sex, and Age

| Sex | | White Non-Hispanic | | Black Non-Hispanic | | Hispanic | | Asian | | Total | |
|-----------|-------------|--------------------|-----|--------------------|-----|----------|-----|-------|-----|-------|-------|
| | | N | (%) | N | (%) | N | (%) | N | (%) | N | (%) |
| Males | Age (Years) | | | | | | | | | | |
| | 13-19 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 20-24 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 25-44 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 45+ | | (0) | | (0) | | (0) | | (0) | | (0) |
| | Subtotal | | (0) | | (0) | | (0) | | (0) | | (100) |
| Row % | | (0) | | (0) | | (0) | | (0) | | (100) | |
| Females | Age (Years) | | | | | | | | | | |
| | 13-19 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 20-24 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 25-44 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 45+ | | (0) | | (0) | | (0) | | (0) | 1 | (0) |
| | Subtotal | | (0) | | (0) | | (0) | | (0) | | (100) |
| Row % | | (0) | | (0) | | (0) | | (0) | | (100) | |
| All Sexes | Age (Years) | | | | | | | | | | |
| | 13-19 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 20-24 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 25-44 | | (0) | | (0) | | (0) | | (0) | | (0) |
| | 45+ | | (0) | | (0) | | (0) | | (0) | | (0) |
| | Total | | (0) | | (0) | | (0) | | (0) | | (100) |
| Row % | | (0) | | (0) | | (0) | | (0) | | (100) | |

Figure 2: 2006 HIV Clients by Age Group (N =4306)




Figure 3: 2006 HIV Clients by Race/Ethnicity (N =4306)




Table 2: 2006 HIV Clients by Race/Ethnicity, Sex, and Risk Factor

| Sex | | White Non-Hispanic | | Black Non-Hispanic | | Hispanic | | Asian | | Total | | |
|--------------------------|--------------------------|------------------------|-------|--------------------|-------|----------|-------|-------|-------|-------|-------|-----|
| | | N | (%) | N | (%) | N | (%) | N | (%) | N | (%) | |
| Males | Risk Factor | N | (%) | N | (%) | N | (%) | N | (%) | N | (%) | |
| | Male to Male Sex (MSM) | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Injection Drug Use (IDU) | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | MSM & IDU | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Hemophilia | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Sex with Opposite Sex | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Blood Transfusion | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Other/Undetermined | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Subtotal | | (100) | | (100) | | (100) | | (100) | | (100) | |
| | Row % | | (0) | | (0) | | (0) | | (0) | | (100) | |
| Females | Risk Factor | N | (%) | N | (%) | N | (%) | N | (%) | N | (%) | |
| | Injection Drug Use (IDU) | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Hemophilia | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Sex with Opposite Sex | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Blood Transfusion | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Other/Undetermined | | (0) | | (0) | | (0) | | (0) | | (0) | |
| | Subtotal | | (100) | | (100) | | (100) | | (100) | | (100) | |
| | Row % | | (0) | | (0) | | (0) | | (0) | | (100) | |
| | All Sexes | Risk Factor | N | (%) | N | (%) | N | (%) | N | (%) | N | (%) |
| | | Male to Male Sex (MSM) | | (0) | | (0) | | (0) | | (0) | | (0) |
| Injection Drug Use (IDU) | | | (0) | | (0) | | (0) | | (0) | | (0) | |
| MSM & IDU | | | (0) | | (0) | | (0) | | (0) | | (0) | |
| Hemophilia | | | (0) | | (0) | | (0) | | (0) | | (0) | |
| Sex with Opposite Sex | | | (0) | | (0) | | (0) | | (0) | | (0) | |
| Blood Transfusion | | | (0) | | (0) | | (0) | | (0) | | (0) | |
| Other/Undetermined | | | (0) | | (0) | | (0) | | (0) | | (0) | |
| Total | | | (100) | | (100) | | (100) | | (100) | | (100) | |
| Row % | | | (0) | | (0) | | (0) | | (0) | | (100) | |

Figure 3: 2006 HIV Clients by Risk Factor (N = 4306)




Table 3: 2006 HIV Clients by Zip Code

| Zip Code | N | (%) |
|------------|------|-------|
| 1) 77026 | 180 | (4) |
| 2) 77004 | 136 | (3) |
| 3) 77016 | 131 | (3) |
| 4) 77006 | 126 | (3) |
| 5) 77002 | 122 | (3) |
| 6) 77033 | 115 | (3) |
| 7) 77020 | 109 | (3) |
| 8) 77036 | 101 | (2) |
| 9) 77021 | 97 | (2) |
| 10) 77088 | 97 | (2) |
| 11) 77028 | 96 | (2) |
| 12) 77009 | 95 | (2) |
| 13) 77091 | 95 | (2) |
| 14) 77022 | 87 | (2) |
| 15) 77078 | 82 | (2) |
| All Others | 312 | (61) |
| Total | 4306 | (100) |

Note: Zip codes are listed in order from highest prevalence to lowest prevalence. Only the top 15 highest prevalence zip codes are listed individually.

Table 4: 2006 HIV Clients by Year of Initial HIV Diagnosis

| Year of HIV Diagnosis | N | (%) |
|-----------------------|-------------|--------------|
| 1988 and earlier | 226 | (5) |
| 1989 | 93 | (2) |
| 1990 | 94 | (2) |
| 1991 | 124 | (3) |
| 1992 | 140 | (3) |
| 1993 | 158 | (4) |
| 1994 | 179 | (4) |
| 1995 | 238 | (6) |
| 1996 | 274 | (6) |
| 1997 | 291 | (7) |
| 1998 | 233 | (5) |
| 1999 | 195 | (5) |
| 2000 | 236 | (5) |
| 2001 | 223 | (5) |
| 2002 | 246 | (6) |
| 2003 | 278 | (6) |
| 2004 | 260 | (6) |
| 2005 | 254 | (6) |
| 2006 | 252 | (6) |
| Unknown | 312 | (7) |
| Total | 4306 | (100) |

Figure 4: 2006 HIV Clients by Known Place of HIV Diagnosis (n =XXXX)





Figure 5: Deaths among HIV Clients Compared to New HIV Clients (03/2002 to 12/2003)
 Total New Clients = XXXX; Total Deaths = XXX



NOTE: Death data within the last year is considered incomplete due to reporting lag.